

United States
Department of
Agriculture

Forest Service

Rocky Mountain
Region

Final Environmental Impact Statement

*To accompany the Land and Resource
Management Plan - 2002 Revision*



FINAL ENVIRONMENTAL IMPACT STATEMENT VOLUME 1
for the
WHITE RIVER NATIONAL FOREST
LAND AND RESOURCE MANAGEMENT PLAN 2002 REVISION

Eagle, Garfield, Gunnison, Mesa, Moffat, Pitkin, Rio Blanco,
Routt, and Summit counties, Colorado

Lead agency: USDA Forest Service
White River National Forest
PO Box 948
Glenwood Springs, CO 81602

Responsible official: Rick Cables, Regional Forester
USDA Forest Service
Rocky Mountain Region
PO Box 25127
Lakewood, CO 80225
(303) 275-5350

For further information contact: Martha Ketelle, Forest Supervisor
White River National Forest
PO Box 948
Glenwood Springs, CO 81602
(970) 945-2521

E-mail address for general forest information:
whiteriverso/r2_whiteriver@fs.fed.us

Abstract

This **final environmental impact statement** (FEIS) documents analysis of seven alternatives developed for programmatic management of the 2.3 million acres administered by the White River National Forest. The Forest Service has identified **Alternative K as the selected alternative.**

*Note to
reviewers*

The Forest Service believes that reviewers should be given notice of several court rulings related to public participation in the environmental review process. First, reviewers of Draft EISs must structure their response to the proposal to make clear the reviewer's position and contentions [*Vermont Yankee Nuclear Power Corp. v. NRDC*, 435 US 519, 53 (1978)]. In addition, environmental objections that could be raised at the Draft EIS stage but are not raised until after completion of the FEIS may be waived or dismissed by the courts [*City of Angoon v. Hodel*, 803F.2d 1016, 1022 (9th Circuit 1986) and *Wisconsin Heritages, Inc. v. Harris*, 490. Supp. 1334, 1338 (E.D. Wis. 1980)].

Please recycle this document when ready to be discarded.

The U. S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status (not all prohibited bases apply to all programs). People with disabilities who require alternative means for communication of program information (Braille, large print, audio tape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write: USDA, Director, Office of Civil Rights, Room 326, W. Whitten Building, 1400 Independence Ave. SW, Washington, DC 20250-9410, or call (202) 720-5964 (voice and TDD). The USDA is an equal opportunity provider and employer.

Contents

VOLUME 1

<i>Reader's Guide to the FEIS</i>	1
---	---

PREFACE P-1

The planning, environmental, and decision processes.....	P-1
A brief history of the forest planning process.....	P-1
Relationship of the forest plan to the alternatives.....	P-2
Steps leading to development of the draft forest plan and DEIS.....	P-2
Steps between draft and final forest plan and FEIS.....	P-3
Understanding the White River National Forest.....	P-4
Physical environment.....	P-6
Biological environment.....	P-7
Historical human use and occupation.....	P-8
Present social and economic environment.....	P-9
Distinctive roles and contributions.....	P-9
Factors that may affect the White River National Forest.....	P-10
Resource commodities and services from the White River National Forest.....	P-10

CHAPTER 1 PURPOSE, NEED, AND SIGNIFICANT ISSUES 1-1

The proposed action.....	1-1
Purpose of the proposed action.....	1-1
Need to change the forest plan.....	1-2
The revision topics explained.....	1-2
Biodiversity.....	1-3
Travel management.....	1-3
Recreation management.....	1-4
Roadless areas.....	1-5
Special areas.....	1-5
Timber suitability and allowable sale quantity.....	1-6
Decisions made in forest plans.....	1-7
Tiered project-level decisions.....	1-7
Travel management.....	1-8
Vacant allotments.....	1-8
Permits, leases, and other authorizations.....	1-8
Significant issues.....	1-8
Issues and topics raised but not addressed.....	1-9

CHAPTER 2 THE ALTERNATIVES 2-1

Introduction.....	2-1
Development of alternatives.....	2-1
Important points shared by all alternatives.....	2-3
Objectives shared by all alternatives.....	2-3
Major changes in the alternatives between the DEIS and the FEIS.....	2-4
Description of the alternatives.....	2-6
How alternatives are described.....	2-6

Alternatives considered in detail.....	2-9
Alternative B.....	2-9
Theme	2-9
Alternative C.....	2-12
Theme	2-12
Relationship to the revision topics.....	2-12
Alternative D.....	2-14
Theme	2-14
Relationship to the revision topics.....	2-14
Alternative E.....	2-16
Theme	2-16
Relationship to the revision topics.....	2-16
Alternative F.....	2-18
Theme	2-18
Relationship to the revision topics.....	2-18
Alternative I.....	2-20
Theme	2-20
Relationship to the revision topics.....	2-20
Alternative K.....	2-22
Theme	2-22
Relationship to the revision topics.....	2-22
Alternatives Submitted by the Public	2-25
Alternatives considered but eliminated from detailed study.....	2-26
Alternative A.....	2-27
Biodiversity.....	2-27
Scenery.....	2-27
Timber.....	2-27
Alternative G.....	2-30
Alternative H.....	2-30
The selected alternative.....	2-30
Conformance with RPA.....	2-31
Comparison of alternatives	2-31
Supplemental tables	2-31
Comparison of effects by alternative	2-32
Biodiversity.....	2-32
Soils.....	2-33
Watersheds.....	2-33
Air resources	2-33
Mineral and energy resources	2-33
Forested vegetation	2-33
Rangeland vegetation.....	2-33
Domestic livestock grazing.....	2-33
Fire management.....	2-34
Aquatic resources.....	2-34
Recreation management.....	2-35
Recreation	2-35
Ski resorts.....	2-36
Aerial transportation corridors.....	2-36
Scenic resources.....	2-37

Infrastructure and travel management	2-37
Roadless areas	2-41
Special areas.....	2-43
Heritage resources.....	2-43
Research natural areas (RNAs).....	2-43
National trails.....	2-43
Special interest areas.....	2-43
Wild and Scenic Rivers.....	2-43
Wilderness.....	2-44
Timber suitability and allowable sale quantity	2-44
Social and economic environment.....	2-46
Forest contributions to area economy	2-46
Effects on economic efficiency.....	2-47
Vacant grazing allotments.....	2-49

CHAPTER 3 THE AFFECTED ENVIRONMENT AND ENVIRONMENTAL CONSEQUENCES

3-1

Purpose and organization of this chapter	3-1
Environmental consequences	3-2
Resource protection measures.....	3-2
Relationship between programmatic and site-specific analysis.....	3-3
TOPIC 1 BIOLOGICAL DIVERSITY AND ECOSYSTEM COMPONENTS	3-4
Introduction.....	3-5
<i>Part 1, Section 1 Soils and geology</i>	3-9
Introduction.....	3-9
Abstract.....	3-9
Summary	3-9
Key Indicators.....	3-10
Legal and administrative framework	3-10
Affected environment	3-10
Introduction.....	3-10
Resource protection measures.....	3-12
Environmental consequences.....	3-13
General effects	3-13
Direct and indirect effects	3-13
Effects on soils and geology from mineral exploration and extraction (leasable)	3-13
Effects on soils and geology from domestic livestock grazing	3-14
Effects on soils and geology from fire	3-14
Effects on soils and geology from travelways	3-16
Effects on soils and geology from recreation management	3-16
Effects on soils and geology from ski areas	3-17
Effects on soils and geology from timber management	3-17
Cumulative effects	3-20

<i>Part 2, Section 2 Watersheds</i>	3-21
Introduction.....	3-21
Abstract.....	3-21
Introduction.....	3-22
Key indicators.....	3-22
Legal and administrative framework.....	3-22
Affected environment.....	3-23
Introduction.....	3-23
Watershed elements.....	3-23
Watershed conditions.....	3-24
Geographic Units.....	3-24
Summary of conditions and trends.....	3-24
Surface waters.....	3-24
Water uses.....	3-26
Groundwater.....	3-27
Water quality.....	3-28
Riparian areas, wetlands, and floodplains.....	3-29
Watershed condition ratings.....	3-30
Geographic units.....	3-31
Blue River Unit.....	3-32
Eagle River Unit.....	3-33
Roaring Fork River Unit.....	3-34
Upper Colorado River Unit.....	3-35
Lower Colorado River Unit.....	3-37
Upper White River Unit.....	3-38
Future trends.....	3-39
Resource protection measures.....	3-39
Environmental consequences.....	3-40
General effects.....	3-40
Direct and indirect effects.....	3-40
Effects on water yield from timber harvest and prescribed fire.....	3-40
Effects on water resources from mining (locatable minerals).....	3-41
Effects on water resources from leasable minerals.....	3-42
Effects on water resources from domestic livestock grazing.....	3-42
Effects on water resources from fire management.....	3-43
Effects on water resources from travelways and travel management.....	3-44
Effects on water resources from land use authorizations for water use facilities.....	3-46
Effects on water resources from recreation management.....	3-46
Effects on water resources from roadless area management.....	3-48
Effects on water resources from timber harvest.....	3-48
Cumulative effects.....	3-50
<i>Part 1, Section 3 Air resources</i>	3-53
Introduction.....	3-53
Abstract.....	3-53
Summary.....	3-53
Key indicators.....	3-53
Legal and administrative framework.....	3-53
Affected environment.....	3-54

Introduction.....	3-54
Ambient air quality and deposition monitoring data	3-55
Air-quality-related values and sensitive receptors	3-55
Future trends	3-56
Resource protection measures.....	3-56
Environmental consequences.....	3-57
General effects	3-57
Direct and indirect effects	3-57
Effects on air resources from mineral exploration and extraction (leasable)	3-57
Effects on air resources from fire management	3-57
Effects on air resources from travelways	3-58
Effects on air resources from developed recreation and ski areas	3-59
Cumulative effects	3-59
<i>Part 2, Section 4 Mineral resources</i>	3-61
Introduction.....	3-61
Abstract.....	3-61
Summary	3-61
Key indicators	3-61
Legal and administrative framework	3-61
Leasable minerals – affected environment	3-62
National Energy Policy	3-63
Leasable minerals - environmental consequences	3-64
General Effects.....	3-64
Leasable Minerals – Environmental Consequences	3-64
Direct and Indirect Effects	3-64
Effects on oil and gas leasing from Canada lynx management	3-64
Effects on oil and gas leasing from ski areas	3-65
Effects on oil and gas leasing from roadless area management and recommended wilderness	3-65
Effects on Oil and Gas leasing from Wild, Scenic, and Recreation Rivers	3-69
Future Trends	3-70
Resource Mitigation Measures	3-70
Locatable minerals – affected environment.....	3-71
Locatable minerals – environmental consequences.....	3-71
General Effects.....	3-71
Locatable minerals – environmental consequences.....	3-73
Direct and Indirect Effects	3-73
Effects on locatable minerals from ski areas	3-73
Effects on locatable minerals from recommended wilderness	3-73
Effects on locatable minerals from research natural areas	3-74
Effects on locatable minerals from wild, scenic, and recreation rivers	3-74
Effects on locatable minerals from special interest areas	3-74
Future Trends	3-75
Resource Mitigation Measures	3-75
Salable minerals - affected environment and environmental consequences.....	3-75
Future Trends	3-75
Paleontological resources – affected environment and environmental consequences.....	3-75
Cumulative effects for leasable, locatable, and salable mineral resources	3-75

Part 2 Biological diversity.....	3-77
<i>Part 2, Section 1 Historic range of variability</i>	3-77
Introduction.....	3-77
Abstract.....	3-77
Summary.....	3-77
Key indicators.....	3-77
Legal and administrative framework.....	3-77
Affected environment.....	3-78
Introduction.....	3-78
Human uses.....	3-78
Forest vegetation.....	3-78
Non-forested vegetation.....	3-78
Air resources.....	3-79
Climate.....	3-79
Fire.....	3-79
Insects and.....	3-79
Disease.....	3-79
Wildlife.....	3-79
Aquatic Resources.....	3-80
Historic range of variability – environmental consequences.....	3-80
General effects.....	3-80
Direct and indirect effects.....	3-80
Effects on the HRV from mineral exploration and extraction (locatable).....	3-80
Effects on the HRV from mineral exploration and extraction (leasable).....	3-81
Effects on the HRV from noxious weeds.....	3-81
Effects on the HRV from fire management.....	3-81
Effects on the HRV from travel management.....	3-82
Effects on the HRV from ski areas.....	3-82
Effects on the HRV from aerial transportation corridors.....	3-83
Effects on the HRV from recommended wilderness, research natural areas, special interest areas (minimal use), or wild rivers.....	3-83
Effects on the HRV from special interest areas (use or interpretation) or scenic and recreational rivers.....	3-83
Effects on the HRV from timber management.....	3-83
Cumulative effects.....	3-84
<i>Part 2, Section 2 Ecosystem-level assessment</i>	3-85
Introduction.....	3-85
Abstract.....	3-85
Summary.....	3-85
Fragmentation.....	3-85
Perforation.....	3-86
Key indicators.....	3-86
Legal and Administrative Framework.....	3-86
Fragmentation and perforation—affected environment.....	3-86
Fragmentation and perforation – environmental consequences.....	3-88
General effects.....	3-88
Direct and indirect effects.....	3-88
Effects on fragmentation and perforation from mineral exploration and extraction (leasable).....	3-88

Effects on fragmentation and perforation from mineral exploration and extraction (locatable)	3-89
Effects on fragmentation and perforation from wildlife management	3-89
Effects on fragmentation and perforation from management of TES species	3-89
Effects on fragmentation and perforation from fire management	3-89
Effects on fragmentation and perforation from travel management	3-90
Effects on fragmentation and perforation from utility corridors	3-90
Effects on fragmentation and perforation from recreation management	3-91
Effects on fragmentation and perforation from ski areas	3-91
Effects on fragmentation and perforation from aerial transportation corridors	3-92
Effects on fragmentation and perforation from wilderness, RNAs, SIAs (minimal use) or eligible rivers	3-92
Effects on fragmentation and perforation from scenic byways or SIAs (use or interpretation)	3-92
Effects on fragmentation and perforation from timber management	3-92
Cumulative effects	3-93
<i>Part 2, Section 3 Species-level assessment</i>	3-95
Abstract	3-95
Summary	3-95
Key indicators	3-96
Legal and administrative framework	3-96
Viability assessment	3-97
A. Species for which there is a viability concern on the White River National Forest	3-99
B. Species needing more baseline inventory and evaluation to determine status	3-100
C. Species for which there is currently no concern for species viability on the forest	3-101
Management Indicator Species Assessment	3-102
<i>Part 2, Section 4– Species of viability concern and management indicator species</i>	3-103
Introduction	3-103
Terrestrial Wildlife	3-103
Cave Bat	3-103
Fringed Myotis	3-107
Townsend’s Big-eared Bat	3-111
Elk	3-115
Barrow’s Goldeneye	3-120
Northern Sage Grouse and Brewer’s Sparrow	3-124
Snowshoe Hare	3-129
Alpine Willow and Horned Lark	3-132
Pygmy Nuthatch	3-144
Black Swift	3-148
Juniper Titmouse	3-151
MacGillivray’s Warbler	3-155
Wolverine	3-158

Aquatic Wildlife.....	3-165
Roundtail Chub	3-165
Leopard Frog.....	3-169
Macroinvertebrate Communities	3-173
Colorado pikeminnow, razorback sucker, humpback chub, and bonytail	3-177
Boreal Toad.....	3-181
All Trout, Brown Trout, and Brook Trout	3-186
Colorado River Cutthroat Trout.....	3-192
Plants.....	3-196
<i>Armeria scabra</i> Pallas ssp. <i>sibirica</i> (Turczaninov ex Boissier) Hylander, Sea pink	3-196
<i>Astragalus molybdenus</i> Barneby, Leadville milkvetch	3-201
<i>Eriophorum altaicum</i> Meinshausen var. <i>neogaeum</i> Raymond, Altai cottongrass	3-206
<i>Machaeranthera coloradoensis</i> (A. Gray) Osterhout, Brandegees tansy-aster or Colorado tansy-aster	3-211
<i>Parnassia kotzebuei</i> Chamisso and Schlechtendal, Kotzebue grass-of-Parnassus.....	3-215
<i>Penstemon harringtonii</i> Penland, Harrington beardtongue	3-219
<i>Phacelia submutica</i> J. T. Howell, De Beque phacelia.....	3-225
<i>Ptilagrostis porteri</i> (Rydberg) W. A. Weber, Porter feathergrass.....	3-229
<i>Ranunculus gelidus</i> ssp. <i>grayi</i> , Tundra buttercup.....	3-233
<i>Thalictrum heliophilum</i> Wilken and DeMott, Sun-loving meadowrue	3-237
Part 3, Section 1 – Terrestrial wildlife.....	3-241
Introduction.....	3-241
Abstract.....	3-241
Summary	3-241
Key indicators	3-242
Legal and administrative framework	3-242
Affected Environment – general wildlife	3-244
Resource protection measures.....	3-245
Environmental Consequences.....	3-246
Direct and indirect effects.....	3-246
Effects on wildlife from mineral resources management	3-246
Effects on wildlife from fisheries and riparian management	3-247
Effects on wildlife from fire/fuels management	3-247
Effects on wildlife from insects and disease management	3-248
Effects on wildlife from domestic livestock grazing	3-248
Effects on wildlife from noxious weeds	3-249
Effects on wildlife from travel and recreation management	3-249
Effects on wildlife from utility corridors	3-250
Effects on wildlife from ski areas	3-251
Effects on wildlife from aerial transportation corridors	3-252
Effects on wildlife from timber management	3-252
Cumulative effects	3-252
Special species of concern.....	3-254
Affected environment – mule deer	3-254
Environmental consequences – mule deer	3-254
Affected environment – bighorn sheep.....	3-256

Environmental consequences – bighorn sheep	3-256
Affected environment – American peregrine falcon	3-258
Environmental consequences – American peregrine falcon	3-259
<i>Wildlife habitat: Interior forests, connectivity, and elk habitat management</i>	3-259
Introduction	3-259
Interior forests	3-259
Affected environment – interior forests	3-260
Environmental consequences – interior forests	3-264
Affected environment – connectivity	3-265
Environmental effects – connectivity	3-267
Concern areas	3-268
Effects on concern areas from utility corridors	3-270
Effects on concern areas from landscape linkages	3-270
Affected environment– Elk habitat management	3-271
Environmental consequences – Elk habitat management	3-271
Potential for wolf reintroduction on the White River National Forest	3-273
<i>Part 3, Section 2– Aquatic resources</i>	3-275
Introduction	3-275
Abstract	3-275
Summary	3-275
Key indicators	3-275
Legal and administrative framework	3-275
Affected environment	3-276
Introduction	3-276
Physical	3-277
and biotic	3-277
Recreational Fishing	3-279
Downstream endangered fish	3-279
Amphibians	3-279
Resource protection measures	3-280
Environmental consequences	3-281
General effects	3-281
Direct and indirect effects on Colorado River cutthroat trout	3-281
Recreational Fishing	3-283
Downstream endangered fish	3-283
Amphibians	3-284
Direct and indirect effects	3-284
Effects on aquatic resources from watershed management	3-284
Effects on aquatic resources from grazing and noxious weeds	3-284
Effects on aquatic resources from travelways and travel management	3-284
Effects on aquatic resources from recreation management	3-285
Effects on aquatic resources from ski areas	3-285
Effects on aquatic resources from wilderness management	3-285
Effects on aquatic resources from timber management	3-285
Cumulative effects	3-286

<i>Topic 1, Part 3, Section 3 – Forested vegetation</i>	3-289
Introduction.....	3-289
Abstract.....	3-289
Introduction.....	3-289
Key indicators	3-289
Legal and administrative framework	3-289
Landscape pattern	3-289
Affected environment	3-289
Vegetation cover types.....	3-289
Environmental consequences.....	3-307
General effects	3-307
Cover types	3-307
Structural stages	3-307
Patch characteristics.....	3-308
Average patch size	3-308
Edge densities	3-308
Average core patch size	3-308
Direct and indirect effects.....	3-308
Effects on landscape pattern from mineral exploration and extraction (leasable)	3-308
Effects on landscape pattern from mineral exploration and extraction (locatable)	3-309
Effects on landscape pattern from wildlife management	3-309
Effects on landscape pattern from TES habitat management	3-309
Effects on landscape pattern from fire management	3-310
Effects on landscape pattern from travel management	3-310
Effects on landscape pattern from utility corridors	3-311
Effects on landscape pattern from recreation management	3-311
Effects on landscape pattern from ski areas	3-311
Effects on landscape pattern from aerial transportation corridors	3-312
Effects on landscape pattern from recommended wilderness, research natural areas, special interest areas (minimal use) or wild rivers special interest areas (minimal use)	3-313
Effects on landscape pattern from special interest areas (use or interpretation), scenic byways, or scenic and recreational rivers	3-313
Effects on landscape pattern from timber management	3-313
Cumulative effects	3-314
Old-growth and late successional forests.....	3-316
Affected environment	3-316
Introduction.....	3-316
Environmental consequences.....	3-317
General effects	3-317
Direct and indirect effects.....	3-318
Effects on late successional forests from mineral exploration and extraction (leasable)	3-318
Effects on late successional forests from mineral exploration and extraction (locatable)	3-318
Effects on late successional forests from management of TES species	3-318
Effects on late successional forests from fire management	3-319

Effects on late successional forests from travel management	3-319
Effects on late successional forests from utility corridors	3-320
Effects on late successional forests from ski areas	3-320
Effects on late successional forests from aerial transportation corridors	3-320
Effects on late successional forests from SIAs (use or interpretation), scenic byways, or scenic and recreational rivers	3-321
Effects on late successional forests from timber management	3-321
Cumulative effects	3-321
PART 3, SECTION 4 NON-FORESTED VEGETATION	3-323
Introduction.....	3-323
Abstract.....	3-323
Summary	3-323
Key indicators	3-323
Legal and administrative framework	3-323
Affected environment	3-323
Introduction.....	3-323
Grasslands and forblands	3-324
Shrublands	3-324
Alpine ecosystems	3-325
Riparian vegetation	3-326
Rangeland production	3-326
Rangeland health	3-326
Rangeland condition	3-327
Future trends	3-328
Environmental consequences.....	3-328
General effects	3-328
Direct and indirect effects.....	3-329
Effects on non-forested vegetation from soil and watershed management	3-329
Effects on non-forested vegetation from aquatic species, riparian, and wetlands management	3-329
Effects on non-forested vegetation from wildlife habitat management	3-329
Effects on non-forested vegetation from management of TES species	3-330
Effects on non-forested vegetation from domestic livestock grazing	3-330
Effects on non-forested vegetation from fire management	3-331
Effects on non-forested vegetation from travel management	3-332
Effects on non-forested vegetation from recreation management	3-333
Effects on non-forested vegetation from recommended wilderness	3-333
Effects on non-forested vegetation from research natural areas and special interest areas	3-334
Effects on non-forested vegetation from wild, scenic, and recreational rivers	3-334
Effects on non-forested vegetation from heritage resources management	3-334
Effects on non-forested vegetation from timber management	3-334
Cumulative effects	3-335
<i>Part 3, Section 5 – Domestic livestock grazing</i>	3-337
Introduction.....	3-337
Abstract.....	3-337
Summary	3-337

Key indicators	3-337
Legal and administrative framework	3-338
Introduction.....	3-339
Lands capable of supporting livestock.....	3-340
Lands suitable for supporting livestock	3-341
Environmental suitability	3-341
Economic analysis	3-343
Uses foregone.....	3-346
Future trends	3-347
Environmental consequences.....	3-347
General effects	3-347
Direct and indirect effects.....	3-348
Effects on domestic livestock grazing from soils and watershed management	3-348
Effects on domestic livestock grazing from riparian and wetland management	3-348
Effects on domestic livestock grazing from wildlife habitat management	3-348
Effects on domestic livestock grazing from wildlife viability management	3-349
Effects on domestic livestock grazing from management of TES species	3-349
Effects on domestic livestock grazing from bighorn sheep management	3-349
Effects on domestic livestock grazing from fire management	3-351
Effects on domestic livestock grazing from travel management	3-351
Effects on domestic livestock grazing from recreation management	3-351
Effects on domestic livestock grazing from wilderness management	3-351
Effects on domestic livestock grazing from research natural areas	3-352
Effects on domestic livestock grazing from wild, scenic, and recreational rivers	3-353
Effects on domestic livestock grazing from timber harvest	3-353
Cumulative effects	3-355
<i>Part 3, Section 6 Noxious weeds</i>	3-357
Introduction.....	3-357
Abstract.....	3-357
Summary.....	3-357
Key indicators	3-357
Legal and administrative framework	3-357
Affected environment	3-358
Introduction.....	3-358
Future trends	3-359
Environmental consequences.....	3-359
General effects	3-359
Direct and indirect effects.....	3-360
Effects on noxious weeds from timber management	3-360
Effects on noxious weeds from travel management	3-361
Effects on noxious weeds from recreation management	3-362
Effects on noxious weeds from domestic livestock grazing	3-362
Effects on noxious weeds from oil, gas, and mineral exploration and extraction	3-363
Effects on noxious weeds from fire management	3-363
Effects on noxious weeds from wilderness management	3-363

Effects on noxious weeds from wildlife and fisheries management	3-364
Effects on noxious weeds from management of threatened, endangered, and sensitive (TES) species	3-364
Effects on noxious weeds from riparian, wetland, and watershed management	3-364
Effects on noxious weeds from other activities	3-364
Cumulative effects	3-365
<i>Part 3, Section 7</i>	3-367
<i>Fire management</i>	3-367
Introduction	3-367
Abstract	3-367
Summary	3-367
Key indicators	3-368
Legal and administrative framework	3-368
Affected environment	3-369
Introduction	3-369
Environmental consequences	3-371
General effects	3-371
Fuel hazard	3-371
Values at risk and fire	3-372
management	3-372
categories	3-372
Acres	3-375
of fuels treatment	3-375
Acres burned by wildland fire	3-377
Direct and indirect effects	3-377
Effects on fire management from domestic livestock grazing	3-377
Effects on fire management from recreation and travel management	3-378
Effects on fire management from timber management	3-378
Cumulative effects	3-379
<i>Topic 2 Part 1 Travel management and infrastructure</i>	3-381
Introduction	3-381
Abstract	3-381
Summary	3-381
Key indicators	3-382
Legal and Administrative Framework	3-382
Affected Environment	3-382
Introduction	3-382
National Forest System Roads	3-382
Public Forest Service Roads	3-384
Forest Highways	3-385
Trails	3-385
Ways	3-385
Bridges and Major Culverts	3-386
Administrative Facilities	3-386
Future Trends	3-387
Environmental Consequences	3-388
Strategies for roads and trails	3-389
Direct and indirect effects	3-390

Effects on travel management from aquatic and soil management	3-390
Effects on travel management from wildlife habitat management	3-390
Effects on travel management from recreation management	3-390
Effects on travel management from timber management	3-391
Cumulative effects	3-392
Resource Protection	3-393
Impacts of Off-road and Off-trail motorized and mechanized use	3-394
<i>Topic 2, Part 2 Landownership</i>	3-399
Abstract	3-399
Summary	3-399
Key indicators	3-399
Legal and administrative framework	3-399
Affected environment	3-399
Environmental consequences	3-400
General effects	3-400
Direct and indirect effects	3-400
Cumulative effects	3-400
<i>Topic 2, Part 3 Special use authorizations</i>	3-401
Abstract	3-401
Introduction	3-401
Key indicators	3-401
Legal and administrative framework	3-401
Affected environment	3-403
Environmental consequences	3-403
General effects	3-403
Direct and indirect effects	3-406
Effects on utility corridors and communication sites from watershed and soil management	3-406
Effects on utility corridors from wildlife management	3-407
Effects on utility corridors from scenery and recreation management	3-407
Cumulative effects	3-407
TOPIC 3	3-409
<i>Topic 3, Part 1 Recreation management</i>	3-409
Introduction	3-409
Abstract	3-409
Summary	3-409
Key indicators	3-410
Legal and administrative framework	3-410
Affected environment	3-411
Introduction	3-411
Recreation setting	3-412
Developed recreation	3-414
Accessibility	3-415
Access	3-416
Partners	3-416
Dispersed recreation	3-417
Wilderness	3-419
Trails and trailheads	3-419

Environmental consequences.....	3-419
General effects	3-419
Developed recreation	3-424
Special uses administration	3-425
Dispersed recreation.....	3-426
Wilderness recreation	3-427
Trails and trailheads	3-427
Direct and indirect effects	3-428
Effects on recreation management from mineral exploration and extraction	3-428
Effects on recreation management from wildlife management	3-428
Effects on recreation management from management of TES species	3-429
Effects on recreation management from domestic livestock grazing	3-429
Effects on recreation management from travel management	3-429
Effects on recreation management from utility corridors	3-429
Effects on recreation management from dams and water diversions	3-430
Effects on recreation management from ski areas	3-430
Effects on recreation management from aerial transportation corridors	3-430
Effects on recreation management from roadless area management and recommended wilderness	3-430
Effects on recreation management from research natural areas	3-431
Effects on recreation management from timber harvest	3-431
Cumulative effects	3-432
<i>Topic 3, Part 2 Ski Areas</i>	3-435
Introduction.....	3-435
Abstract.....	3-435
Summary	3-435
Key indicators	3-436
Legal and administrative framework	3-436
Affected environment	3-436
National Overview	3-436
Historic Perspective	3-436
The Nature of the Relationship Between Ski Areas and the Forest Service....	3-436
Permits	3-436
Master Development Plans	3-437
Operating Plans	3-437
Off-season uses	3-437
Partnerships with NSAA and USSA	3-437
National Ski Industry Trends	3-438
Snowboarding	3-438
Ownership	3-439
Demographics	3-439
Climate change	3-439
Industry marketing strategies	3-440
Colorado Overview	3-440
Growth trends	3-440
Destination visitors	3-441
Snowboarders	3-441
Buddy Passes	3-441

Ownership	3-441
Future growth projections	3-442
White River National Forest	3-443
Historical Summary	3-444
Summit County	3-444
Eagle County	3-445
Pitkin County	3-445
Garfield County	3-445
Capacity	3-446
Skiable Acres	3-447
Skier Density.....	3-449
Annual Capacity.....	3-450
Annual Utilization.....	3-451
Other Winter Recreation	3-453
Summer Recreation.....	3-453
Skier Visit Forecast.....	3-453
Future Expansion	3-454
Eagle County.....	3-455
Adam Mountain	3-455
Vail	3-455
Beaver Creek	3-455
Ski Cooper	3-456
Garfield	3-456
Rifle	3-456
Sunlight	3-456
Pitkin County	3-457
Aspen Mountain	3-457
Redstone	3-457
Aspen Highlands	3-457
Buttermilk	3-458
Snowmass	3-458
Summit County	3-458
Arapahoe Basin	3-458
Keystone	3-459
Breckenridge	3-460
Copper Mountain	3-461
Environmental consequences.....	3-462
General effects	3-462
Eagle County	3-463
Garfield County	3-463
Pitkin County	3-463
Summit County	3-463
Summer use	3-464
Rationale for the alternatives	3-464
All alternatives	3-464
Future needs	3-465
Skier visit forecast	3-465
Skiable acres needed	3-466
Total acres needed	3-467

Alternatives considered but not analyzed in detail	3-468
Direct and indirect effects	3-469
Comparison of alternatives	
Consequences By County	3-473
Summit County	3-473
Eagle County	3-476
Pitkin County	3-477
Garfield County	3-479
Direct and indirect effects	3-480
Effects on ski areas from watershed management	3-481
Effects on ski areas from elk habitat management	3-482
Effects on ski areas from threatened, endangered, and sensitive species habitat management	3-482
Effects on ski areas from roadless areas	3-483
Effects on ski areas from research natural areas	3-483
Effects on ski areas from wilderness	3-483
Effects on ski areas from timber management	3-484
Cumulative effects	3-484
<i>Topic 3, Part 3 Aerial transportation corridors</i>	3-487
Introduction	3-487
Abstract	3-487
Summary	3-487
Key indicators	3-487
Legal and administrative framework	3-488
Affected environment	3-488
Introduction	3-488
Examples	3-489
Environmental consequences	3-494
General effects	3-494
Direct and indirect effects	3-499
Effects on aerial transportation corridors from wildlife management	3-499
Effects on aerial transportation corridors from landownership	3-499
Effects on aerial transportation corridors from scenery management	3-499
Cumulative effects	3-500
Scenery	3-500
Wildlife	3-500
Population Growth	3-500
Tourism Promotion	3-500
Air quality	3-501
Private land values	3-501
<i>Topic 3, Part 4 Scenery management</i>	3-503
Introduction	3-503
Abstract	3-503
Summary	3-503
Key indicators	3-504
Legal and administrative framework	3-504
Affected environment	3-505
Introduction	3-505
General description	3-505

Existing condition	3-506
Landscape character description	3-506
Existing scenic integrity	3-506
Scenic attractiveness	3-507
Visibility analysis	3-510
Scenic classes	3-510
Future trends	3-511
Environmental consequences.....	3-512
General effects	3-512
Proposed scenic integrity levels for each alternative	3-513
Comparison of alternatives	3-516
Direct and indirect effects.....	3-517
Effects on scenic resources from soil management	3-517
Effects on scenic resources from air resource management	3-517
Effects on scenic resources from mineral and energy development	3-517
Effects on scenic resources from wildlife habitat management	3-517
Effects on scenic resources from domestic livestock grazing	3-518
Effects on scenic resources from noxious weeds	3-518
Effects on scenic resources from fire, insects, and disease	3-518
Effects on scenic resources from travel management	3-519
Effects on scenic resources from utility corridors	3-519
Effects on scenic resources from recreation management	3-519
Effects on scenic resources from ski areas	3-519
Effects on scenic resources from aerial transportation corridors	3-520
Effects on scenic resources from timber management	3-520
Cumulative effects	3-520
<i>TOPIC 4 Roadless area management and recommended wilderness</i>	<i>3-523</i>
Introduction.....	3-523
Abstract.....	3-523
Summary	3-523
Key indicators	3-523
Legal and administrative framework	3-524
Affected environment	3-524
Introduction.....	3-524
Roadless inventory	3-524
Recommended wilderness	3-525
Capability.....	3-525
Availability	3-525
Need	3-525
Environmental consequences.....	3-528
General effects	3-528
Roadless inventory management	3-528
Roadless areas capable and available for wilderness	3-528
Direct and indirect effects.....	3-531
Roadless inventory	3-531
Roadless areas capable and available for wilderness.....	3-532
Effect on roadless areas from leasable mineral development	3-533
Effects on roadless area from biodiversity management	3-533
Effects on roadless areas from wildlife management	3-533

Effects on roadless areas from domestic livestock grazing	3-533
Effects on roadless areas from travel management	3-534
Effects on roadless areas from recreation management	3-534
Effects on roadless areas from special interest areas	3-534
Effects on roadless areas from timber management	3-534
Cumulative effects	3-535
TOPIC 5 SPECIAL AREAS	3-537
<i>Topic 5, Part 1</i>	3-537
<i>Heritage resources</i>	3-537
Introduction	3-537
Abstract	3-537
Summary	3-537
Key indicators	3-537
Legal and administrative framework	3-537
Affected environment	3-538
Introduction	3-538
American Indian resources (prehistoric and historic)	3-538
Historic European-American resources	3-539
Paleontological resources	3-539
Resource protection measures	3-539
Environmental consequences	3-540
General effects	3-540
Direct and indirect effects	3-540
Effects on heritage resources from domestic livestock grazing	3-540
Effects on heritage resources from fire management	3-541
Effects on heritage resources from landownership adjustments	3-541
Effects on heritage resources from recreation management	3-542
Effects on heritage resources from timber management	3-542
Cumulative effects	3-542
<i>Topic 5, Part 2 Research natural areas</i>	3-545
Introduction	3-545
Abstract	3-545
Summary	3-545
Key indicators	3-546
Legal and administrative framework	3-546
Affected environment	3-546
Introduction	3-546
Environmental consequences	3-547
General effects	3-547
Direct and indirect effects	3-548
Effects on research natural areas from fire management	3-548
Effects on research natural areas from recreation management	3-549
Effects on research natural areas from wilderness management	3-549
Cumulative effects	3-550
<i>Topic 5, Part 3 Wilderness</i>	3-551
Introduction	3-551
Abstract	3-551
Summary	3-551
Key indicators	3-551

Legal and administrative framework	3-551
Affected environment	3-551
Introduction.....	3-551
Special interest areas in wilderness on the White River National Forest	3-559
Future trends	3-560
Environmental consequences.....	3-560
General effects	3-560
Major differences between alternatives	3-560
Effects on wilderness from wild and scenic rivers	3-562
Effects on wilderness from research natural areas	3-562
Effects on wilderness from bighorn sheep management	3-563
Effects on wilderness from heritage and cave resources	3-563
Effects on wilderness from vegetation management	3-563
Effects on wilderness from wildlife and fisheries management	3-563
Effects on wilderness from recreation management	3-564
Effects on wilderness from domestic livestock grazing	3-564
Cumulative effects	3-564
<i>Topic 5, Part 4 Wild, scenic, and recreational rivers</i>	3-565
Introduction.....	3-565
Abstract.....	3-565
Summary	3-565
Key indicators	3-565
Legal and administrative framework	3-566
Affected environment	3-566
Introduction.....	3-566
Future trends	3-567
Environmental consequences.....	3-568
General effects	3-568
Direct and indirect effects.....	3-568
Effects on wild and scenic rivers from minerals management	3-568
Effects on wild and scenic rivers from domestic livestock grazing	3-568
Effects on wild and scenic rivers from vegetation management	3-568
Effects on wild and scenic rivers from travel management	3-568
Effects on wild and scenic rivers from recreation management	3-569
Effects on wild and scenic rivers from scenery management	3-569
Cumulative effects	3-569
<i>Topic 5, Part 5 Caves</i>	3-571
Introduction.....	3-571
Abstract.....	3-571
Summary	3-571
Key indicators	3-571
Legal and administrative framework	3-571
Affected environment	3-571
Introduction.....	3-571
Significant caves	3-572
Future trends	3-573
Resource protection measures.....	3-573
Environmental consequences.....	3-573
General effects	3-573

Direct and indirect effects	3-574
Effects on cave resources from vegetation management	3-574
Effects on cave resources from road construction and reconstruction projects	3-574
Effects on cave resources from other infrastructure construction and reconstruction projects	3-575
Effects on cave resources from fire management	3-575
Effects on cave resources from minerals exploration and extraction	3-575
Effects on cave resources from recreation management	3-576
Effects on cave resources from special area management	3-576
Cumulative effects	3-576
<i>Topic 5, Part 6 National trails</i>	3-577
Introduction	3-577
Abstract	3-577
Summary	3-577
Key indicators	3-577
Legal and administrative framework	3-577
Affected environment	3-577
Introduction	3-577
Future trends	3-579
Environmental consequences	3-579
Direct and indirect effects	3-579
Effects on national trails from timber management	3-579
Effects on national trails from recreation management	3-579
Effects on national trails from domestic livestock grazing	3-579
Effects on national trails from travel management	3-579
Cumulative effects	3-580
<i>Topic 5, Part 7 Scenic byways</i>	3-581
Introduction	3-581
Abstract	3-581
Summary	3-581
Key indicators	3-581
Legal and administrative framework	3-581
Affected environment	3-582
Introduction	3-582
Future trends	3-583
Environmental consequences	3-583
General effects	3-583
Direct and indirect effects	3-584
Effects on scenic byways from scenery management	3-584
Cumulative effects	3-584
<i>Topic 5, Part 8 Special interest areas</i>	3-585
Introduction	3-585
Abstract	3-585
Summary	3-585
Key indicators	3-585
Legal and administrative framework	3-585
Affected environment	3-586
Future trends	3-587

Environmental consequences.....	3-587
General effects	3-587
Direct and indirect effects	3-588
Cumulative effects	3-588
TOPIC 6 TIMBER MANAGEMENT	3-589
Introduction.....	3-589
Abstract	3-589
Summary	3-589
Key indicators	3-590
Legal and administrative framework	3-590
Affected environment	3-590
Introduction.....	3-590
Timber supply and demand.....	3-592
Below-cost timber sale program	3-593
Insects and diseases	3-594
Environmental consequences.....	3-597
General effects	3-597
Effects common to all alternatives	3-597
Tentatively suitable timber lands	3-598
Suitable timber lands	3-599
Direct and indirect effects	3-600
Effects on timber management from biodiversity management	3-603
Effects on timber management from fire management	3-604
Effects on timber management from insects and diseases	3-604
Effects on timber management from travel management	3-604
Effects on timber management from recreation management	3-605
Effects on timber management from ski areas	3-605
Effects on timber management from inventoried roadless areas	3-605
Effects on timber management from recommended wilderness	3-605
Effects on timber management from designation of special areas	3-606
Effects on timber management from increased funding levels	3-606
Summary	3-608
Cumulative effects	3-609
Effects on other lands within or adjacent to the White River National Forest	3-609
TOPIC 7 COMMUNITIES	3-613
Introduction.....	3-613
Abstract	3-613
Summary and Key Concepts.....	3-613
Key Indicators	3-614
Legal Framework	3-614
Communities of Place	3-615
<i>Demographics</i>	3-615
Affected environment	3-615
History and culture.....	3-615
Summit County	3-615
Grand County	3-617
Park County	3-617
Lake County	3-618

Eagle County	3-618
Pitkin County	3-620
Garfield County	3-621
Rio Blanco County	3-623
American Indians	3-623
Population	3-624
Population	3-624
Environmental justice	3-628
Housing	3-631
Transportation and commuting	3-637
Environmental consequences	3-638
Direct and indirect effects	3-638
Population	3-638
Environmental justice	3-639
Housing	3-639
Transportation	3-639
Cumulative effects	3-640
<i>Economics</i>	3-640
Affected environment	3-640
Introduction	3-640
Employment	3-640
Income	3-643
Economic dependency	3-644
Tourism	3-646
Contribution of the White River National Forest	3-651
Urbanization	3-652
Environmental consequences	3-653
Direct and indirect effects	3-653
Cumulative effects	3-659
Economic dependency	3-662
Transportation	3-662
Population and housing	3-662
Environmental justice	3-664
Urbanization	3-664
Local governments	3-665
Affected environment	3-665
Introduction	3-665
Payments to counties	3-665
Intermixed lands	3-672
Environmental consequences	3-673
Direct and indirect effects	3-673
Effects on returns to counties	3-673
Intermixed lands	3-673
Cumulative effects	3-675
Federal payments	3-675
Intermixed lands	3-675

Communities of Interest	3-676
<i>Stakeholders</i>	3-676
Affected environment	3-676
Three surveys	3-677
Cluster analysis	3-678
Objectives Questions From PSI and AR Survey Responses	3-680
Cluster respondents demographics summary	3-682
Summary of cluster results	3-682
Similarities between cluster results and public comments on the draft forest plan and DEIS	3-683
Stakeholder group meetings	3-684
Environmental consequences	3-692
Direct and indirect effects	3-692
Cumulative effects	3-694
<i>Financial and Economic Efficiency</i>	3-695
TOPIC 8 AMERICAN INDIAN RIGHTS AND INTERESTS	3-699
Introduction	3-699
Legal and Administrative Framework	3-700
Applicable Federal Laws:	3-702
Forest Service Regulations:	3-702
TOPIC 9 OTHER CONSIDERATIONS	3-703
Potential conflicts with goals and objectives of other agencies	3-703
Resource commitments	3-703
Energy requirements for implementing the alternatives	3-703
Unavoidable adverse impacts	3-703
Air quality	3-704
Recreation	3-704
Water quality	3-704
Wildlife	3-704
Hazardous materials	3-704
Relationship between short-term uses of the environment and long-term productivity	3-704
Irreversible and irretrievable commitment of resources	3-705

CHAPTER 4 LIST OF PREPARERS 4-1

Tables

VOLUME 1

PREFACE

Table 1 Acres of National Forest System lands, by county, within the White River National Forest as of September 1997	P-5
---	-----

CHAPTER 2

Table 2 Comparison of numbering systems used in the 1984 plan and the 2002 plan	2-7
Table 3 Acres allocated to ski areas by alternative	2-36
Table 4 Acres allocated for aerial transportation corridors by county and alternative	2-36
Table 5 Acres of natural-appearing landscapes by alternative.....	2-37
Table 6 Summary of Acreage for motorized/motorized on designated routes/non-motorized—summer	2-39
Table 7 Summary of Acreage for motorized/motorized on designated routes/non-motorized—winter	2-40
Table 8 Areas of management area 1.2 by alternative	2-41
Table 9 Summary of capable and available roadless acres in different management area categories by alternative.....	2-42
Table 10 Change to employment by program by alternative in 2010, total jobs contributed	2-48
Table 11 Economic and financial efficiency (present net value over 50 years in millions of 2000 dollars).....	2-49
Table 12a Acres suitable for cattle grazing by alternative	2-50
Table 12b Acres suitable for sheep grazing by alternative	2-50
Table 13 Number of vacant allotments recommended for retention, partial retention, and closure	2-51
Table 14 (Supplemental Table 1) Comparison of acres allocated to management areas in each alternative.....	2-53
Table 15 (Supplemental Table 2) Outcome or activity measures and trends for forest plan goals by alternative.....	2-56
Table 16 (Supplemental Table 3) Budget costs (in thousands of dollars).....	2-65

CHAPTER 3

Table 17 White River National Forest general ecological map units/LTA groups.....	3-11
Table 18 Number of allotments partially or fully retained by alternative.....	3-14
Table 19 Estimated annual prescribed fire acreage by alternative.....	3-15
Table 20 Percentage of White River National Forest lands having roads by alternative.....	3-16
Table 21 Acres (in thousands) allocated for ski areas by alternative.....	3-17
Table 22 Harvest acres (in thousands) by alternative per decade	3-19
Table 23 Deleted	3-19
Table 24 Summary of effects by alternative	3-20
Table 25 Transbasin diversions.....	3-25
Table 26 Major reservoirs	3-25
Table 27 Public supply watersheds	3-26
Table 28 Acres of riparian area	3-30

Table 29 Aggregated water yield from timber harvest (acre-feet/year).....	3-41
Table 30 Potential annual prescribed fire acres by alternative.....	3-44
Table 31 Dispersed site rehabilitation in the first decade (acres under experienced budget)	3-47
Table 32 Ski-based resort area allocation by fourth code watershed (acres)	3-48
Table 33 Harvest acres in the first decade by analysis areas (full budget)	3-49
Table 34 Potential annual prescribed fire activity and impacts to air quality by alternative.....	3-58
Table 35 Individual recommended wilderness areas unavailable for oil and gas leasing, by alternative	3-66
Table 36A Summary of recommended wilderness area oil and gas availability by alternative.....	3-68
Table 36B Changes in oil and gas availability for wild, scenic and recreational river segments	3-69
Table 36C Recommendation to withdraw management areas from locatable mineral entry	3-72
Table 36D Acres withdrawn by alternative.....	3-73
Table V-1 Cave bats – Estimated potential changes during the life of the 2002 Forest Plan	3-106
Table V-2 Fringed myotis – Estimated potential changes during the life of the 2002 Forest Plan	3-110
Table V-3 Townsend’s big-eared bat – Estimated potential changes during the life of the 2002 Forest Plan	3-114
Table V-4 Elk – Estimated potential changes and alternative comparisons of elk habitat and populations during the life of the 2002 Forest Plan	3-118
Table V-5 Barrow’s goldeneye – Estimated potential changes during the life of the 2002 Forest Plan	3-123
Table V-6 Northern sage grouse—Estimated potential changes during the life of the 2002 Forest Plan	3-127
Table V-7 Brewer’s sSparrow – Estimated potential changes during the life of the 2002 Forest Plan	3-127
Table V-8 Snowshoe hare—Estimated potential changes during the life of the 2002 Forest Plan	3-131
Table V-9 Alpine willow – Estimated potential changes during the life of the 2002 Forest Plan	3-134
Table V-10 Horned lark. Estimated potential changes during the life of the 2002 Forest Plan.	3-134
Table V-11 Canada lynx – Estimated potential changes during the life of the 2002 Forest Plan	3-142
Table V-12 Pygmy nuthatch – Estimated potential changes during the life of the 2002 Forest Plan	3-147
Table V-13 Black swift – Estimated potential changes during the life of the Forest Plan	3-150
Table V-14 Juniper titmouse – Estimated potential changes during the life of the 2002 Forest Plan	3-153
Table V-15 Pinyon-juniper – Estimated potential changes during the life of the 2002 Forest Plan	3-154
Table V-16 MacGillivray’s warbler – Estimated potential changes during the life of the 2002 Forest Plan	3-157

Table V-17 Wolverine – Estimated potential changes during the life of the 2002 Forest Plan	3-163
Table V-18 Roundtail chub—Estimated potential changes for roundtail chub habitat and populations during the life of the 2002 Forest Plan	3-167
Table V-19 Leopard frog – Estimated potential changes for northern leopard frog habitat and populations on the White River National Forest during the life of the 2002 Forest Plan	3-171
Table V-20 Percentage of streams on the White River National Forest per management activity level by 2002 Forest Plan Alternative	3-175
Table V-21 Macroinvertebrate Communities—Estimated potential changes for macroinvertebrate habitat and populations during the life of the Forest Plan	3-175
Table V-22 Endangered fish – Estimated potential changes for Colorado pikeminnow, razorback sucker, humpback chub, and bonytail habitat and populations during the life of the 2002 Forest Plan	3-179
Table V-23 Boreal toad – Level of human activity at known population locations outside wilderness by alternative	3-183
Table V-24 Boreal toad – Estimated potential changes for boreal toad habitats and populations on the White River National Forest during the life of the 2002 Forest Plan	3-184
Table V-25 All trout – Percentage of 2nd through 7th order streams per management activity level by 2002 Forest Plan alternative.	3-188
Table V-26 Brook and brown trout – Number of stream miles within Management Area 8.25 by 2002 Forest Plan alternative.....	3-189
Table V-27 All trout – Estimated potential changes for trout habitat and populations during the life of the 2002 Forest Plan.....	3-189
Table V-28 Brook and brown trout – Estimated potential changes for brook and brown trout habitat and populations in ski areas during the life of the Forest Plan	3-190
Table V-29 Colorado River cutthroat trout – Estimated potential changes for Colorado River cutthroat trout habitat and populations during the life of the 2002 Forest Plan	3-194
Table V-30 Expected trends in populations and habitats for <i>Armeria scabra</i> , Sea pink during the life of the 2002 Forest Plan	3-199
Table V-31 Estimated potential changes in populations and habitats for <i>Astragalus molybdenus</i> , Leadville milkvetch for the life of the 2002 Forest Plan	3-205
Table V-32 Estimated potential changes in populations and habitats for <i>Eriophorum altaicum</i> , Altai cottongrass during the life of the 2002 Forest Plan	3-209
Table V-33 Estimated potential changes in population and habitat for <i>Machaeranthera coloradoensis</i> , Colorado tansy-aster during the life of the 2002 Forest Plan	3-214
Table V-34 Estimated potential changes in population and habitat for <i>Parnassia kotzebue</i> , Kotzebue grass-of-Parnassus during the life of the 2002 Forest Plan	3-218
Table V-35 Estimated potential changes in population and habitat for <i>Penstemon harringtonii</i> , Harrington penstemon during the life of the 2002 Forest Plan	3-224

Table V-36 Estimated potential changes in population and habitat for <i>Phacelia submutica</i> , DeBeque phacelia, during the life of the 2002 Forest Plan.....	3-228
Table V-37 Estimated potential changes in population and habitat for <i>Ptilagrostis porteri</i> , Porter feathergrass during the life of the 2002 Forest Plan	3-232
Table V-38 Estimated potential changes in population and habitat for <i>Ranunculus gelidus</i> ssp. <i>grayi</i> , Tundra buttercup during the life of the 2002 Forest Plan	3-235
Table V-39 Estimated potential changes in population and habitat for <i>Thalictrum heliophilum</i> , Sunloving meadowrue, during the life of the 2002 Forest Plan	3-240
Table 37 Terrestrial vertebrates known or likely by cover type.....	3-245
Table 39 Acres of MA 5.4, MA 5.41 and MA 5.43 by alternative on the White River National Forest.....	3-255
Table 40 Coniferous and deciduous forest interior habitat by watershed on the White River National Forest.....	3-261
Table 41 Changes in mean patch size from roads, railroads, and utility corridors	3-263
Table 42 Forest and non-forest conditions by analysis area on the White River National Forest.....	3-266
Table 43 Acres dedicated for elk management on the White River National Forest (in acres)	3-271
Table 44 Index of current elk habitat effectiveness indices by DAU	3-272
Table 45 Cutthroat distribution by subwatershed (6 th field HUC).....	3-278
Table 46 Comparison of potential viable populations by alternative.....	3-281
Table 47 Activity level around Colorado River cutthroat trout populations based on management area prescription	3-283
Table 3-48 Number of vacant allotments containing Colorado River cutthroat trout proposed for retention by alternative	3-286
Table 49 Cover types of the White River National Forest compared to the sections and province.....	3-290
Table 50 Structural stages by tree species, in acres and percent of the White River National Forest.....	3-291
Table 51 Inventory of old growth	3-317
Table 52 Non-forested plant associations on the White River National Forest	3-324
Table 53 Shrublands of the White River National Forest (GIS CVU database).....	3-325
Table 54 Riparian vegetation by dominant cover type on the White River NF (GIS WETVEG)	3-326
Table 55 Rangeland condition.....	3-327
Table 56A Summary of acres within grazing allotments.....	3-339
Table 56B Permitted livestock	3-340
Table 57 Acres capable of supporting livestock	3-341
Table 58 Acres determined environmentally suitable for sheep and cattle grazing by alternative.....	3-343
Table 59 Financial and economic comparison of grazing prescriptions.....	3-345
Table 60 Acres suitable for cattle grazing by alternative.....	3-346
Table 61 Acres suitable for sheep grazing by alternative	3-347
Table 62 Active sheep allotments having land within bighorn sheep areas by alternative.....	3-350
Table 63 Active cattle allotments having land within bighorn sheep areas by alternative.....	3-350

Table 64 Vacant allotments having land within bighorn sheep areas by alternative	3-350
Table 65 Research natural areas within active allotments by alternative.....	3-352
Table 66 Vacant allotments having land within proposed research natural areas by alternative.....	3-352
Table 67 Number of vacant allotments recommended for retention, partial retention, and closure.....	3-354
Table 68 Acres suitable for cattle grazing by alternative.....	3-354
Table 69 Acres suitable for sheep grazing, by alternative	3-354
Table 70 Estimated acres with noxious weeds and spread rate by species	3-358
Table 71 Suitable acres recommended for closure to livestock grazing by alternative, in thousands of acres.....	3-363
Table 72 Fire regimes found on the White River National Forest.....	3-369
Table 73 Fuel hazard rating based on resistance to control	3-372
Table 74 Resource values at risk and fire response strategy by management area prescription	3-374
Table 75 Use of wildland fire and prescribed fire by management area prescription....	3-375
Table 76 Estimated annual prescribed fire activity by alternative and fire management category	3-376
Table 77 National Forest System roads by functional class on the White River National Forest.....	3-383
Table 78 Miles of travelways by traffic service and road maintenance levels.....	3-384
Table 79 Changes in travel mode patterns from 1984 to 1996	3-387
Table 81 Designated non-linear utility sites on the White River National Forest (electronic and communication sites)	3-404
Table 82 Designated utility corridors.....	3-404
Table 83 Recreation opportunity spectrum (1997)	3-413
Table 84 Developed recreation infrastructure and capacities	3-415
Table 85 Dispersed use projections and capacity in thousands of RVDs	3-418
Table 86 The capacities of the ski areas on the White River National Forest between 1987 and 2000	3-447
Table 87 Percentage of ski areas that are skiable.....	3-448
Table 88 Skiers per acre	3-450
Table 89 Annual use and capacity in 2001	3-451
Table 90 Summary of changes between 1987 and 2000	3-452
Table 91 Skier visits projected for 2010	3-454
Table 92 Skiable acres needed 2010	3-467
Table 93 Total acres needed by 2010.....	3-467
Table 94 Acres allocated to MA 8.25 by alternative.....	3-472
Table 95 Acres allocated to MA 8.25 by alternative for Summit County ski areas.....	3-474
Table 96 Acres allocated to MA 8.25 by alternative for Eagle County ski areas	3-476
Table 97 Acres allocated to MA 8.25 by alternative for Pitkin County ski areas.....	3-478
Table 98 Acres allocated to MA 8.25 by alternative for Garfield County ski areas.....	3-480
Table 99 New 8.25 acres outside existing ski areas.....	3-481
Table 100 Potential aerial transportation corridors	3-494
Table 101 Acres allocated to management area 8.31, by county and alternative	3-495
Table 102 Number of roundtrip miles on existing roads	3-495
Table 103 Potential skiing connections by alternatives allocated 8.25	3-495
Table 104 Existing scenic integrity of the White River National Forest	3-507
Table 105 Scenic attractiveness of the White River National Forest.....	3-509

Table 106 Visibility analysis of the White River National Forest	3-510
Table 107 Scenic classes of the White River National Forest	3-511
Table 108 The shortage between demand and supply of scenery-related activities for the entire Rocky Mountain Region, in millions of visitors	3-512
Table 109 Acres allocated to management areas 4.2 and 4.23, by alternative.....	3-513
Table 110 Acres and percent of proposed scenic integrity levels, by alternative	3-514
Table 111 Acres of existing scenic integrity levels forest-wide	3-514
Table 112 Acres of rehabilitation of unacceptably low areas to manageable scenic integrity levels.....	3-515
Table 113 Acres of natural-appearing landscapes, by alternative.....	3-517
Table 114 Roadless inventory found capable of and available for wilderness recommendation.....	3-526
Table 115 Acres of management area 1.2 by alternative	3-529
Table 116 Recommended wilderness by alternative.....	3-530
Table 117 Summary of inventoried roadless acres in management area groups by alternative.....	3-532
Table 118 Summary of inventoried roadless capable and available for wilderness recommendation by alternative.....	3-532
Table 119 Deleted	
Table 120 Acres of potential research natural areas by alternative.....	3-548
Table 121 Number of new plant associations potentially included in the Region 2 research natural area portfolio by alternative.....	3-549
Table 122 Existing wilderness acres on the White River National Forest.....	3-552
Table 123 Research natural areas within wilderness on the White River National Forest	3-562
Table 124 Vacant allotments closed in wilderness	3-564
Table 125 Streams found eligible for inclusion in the National Wild and Scenic River System 1	3-567
Table 126 Harvest acres (in thousands) by alternative per decade	3-574
Table 127 Road miles constructed for timber access by alternative per decade.....	3-575
Table 128 Scenic byways on the White River National Forest.....	3-582
Table 129 Acres of management area 4.23 related to scenic byways, by alternative	3-583
Table 130 Special interest areas proposed for minimal recreation use and interpretation (MA 2.1).....	3-586
Table 131 Special interest areas proposed to emphasize recreation use and interpretation (MA 3.1).....	3-587
Table 132 Total acreage of special interest areas proposed (MA 2.1 and 3.1)	3-587
Table 133 Harvests from suitable timber lands at the experienced budget level	3-589
Table 134 Acres of harvest activity by silvicultural system	3-592
Table 135 Tentatively suitable timber lands by species composition	3-598
Table 136 Annual growth for tentatively suitable lands	3-598
Table 137 Standing net merchantable volume—tentatively suitable lands for timber harvest.....	3-599
Table 138 Acres of suitable timber lands by management area prescription.....	3-599
Table 139 Acres harvested per year (decade 1 average, experienced budget level)	3-600
Table 140 Sawtimber harvest in thousand cubic feet per year (decade 1 average, experienced budget).....	3-600
Table 141 Sawtimber harvest in thousand board feet per year (decade 1 average, experienced budget).....	3-601

Table 142 Acres per year harvested by silvicultural system (decade 1 average, experienced budget level)	3-601
Table 143 Net return from the timber program per year (decade 1, experienced budget level)	3-602
Table 144 PNV from the timber program for first 50 years (experienced budget level)	3-602
Table 145 Acres of reforestation per year (decade 1, experienced budget level)	3-602
Table 146 Acres of thinning per year (decade 1, experienced budget level)	3-602
Table 147 Personal use fuelwood/post and pole volume (decade 1, experienced budget level)	3-603
Table 148 Acres removed from TSTL because of lands recommended for wilderness designation	3-606
Table 149 Acres harvested per year (decade 1 average, full budget level).....	3-606
Table 150 Sawtimber harvest in thousand cubic feet per year (decade 1 average, full budget level)	3-607
Table 151 Sawtimber harvest in thousand board feet per year (decade 1 average, full budget level)	3-607
Table 152 Allowable sale quantity, unconstrained budget.....	3-607
Table 153 Timber sale program quantity (TSPQ) for first decade in MCF by budget level	3-608
Table 154 Timber sale program quantity (TSPQ) for first decade in MBF by budget level	3-609
Table 155 Harvest acres first decade in thousands of acres (experienced budget)	3-611
Table 157 Population in area municipalities, 1990–2000	3-627
Table 158 Racial component change of population by county, 1990–2000	3-629
Table 159 Population by race and Hispanic origin by county and municipality in 2000, percent of total	3-629
Table 160 Housing units in area municipalities, 1990–2000	3-632
Table 161 Population and housing growth in area municipalities, 1990–2000	3-633
Table 162 Northwest Colorado Council of Governments 2001 Cost of Living Study—housing profiles	3-635
Table 162 Northwest Colorado Council of Governments 2001 Cost of Living Study—relative housing cost	3-635
Table 164 Employment by major industry and county, 1999	3-641
Table 165 Personal income by source and county, 1999 (in dollars and percent)	3-644
Table 166 White River National Forest contributions to the area economy by program, 1999	3-651
Table 167 White River National Forest contributions to the area economy by major industry, 1999	3-651
Table 168 Change to employment by program by alternative in 2010	3-654
Table 169 Change to employment by major industry by alternative in 2010	3-655
Table 170 Change to labor income by program in 2010, in millions of 1999 dollars ...	3-657
Table 171 Change to labor income by major industry in 2010, in millions of 1999 dollars.....	3-657
Table 172 Cumulative economic impacts, 2010	3-660
Table 173 Cumulative seasonal impacts from winter recreation by economic sub-area, 2010	3-661
Table 174 Annual average revenue and payments to counties in 2010 (thousands of 1999 dollars)	3-673

Table 175 Intermixed management area lands, by county and alternative	3-674
Table 176 Five highest mean responses (greatest agreement), by cluster and by survey	3-679
Table 177 Five lowest mean responses (greatest disagreement) by cluster by survey ..	3-680
Table 178 A portion of an objectives hierarchy for one of the stakeholder groups	3-685
Table 179 Representative stakeholder objectives, attributes, and impacts for commonly held objectives, by alternative	3-687
Table 180 Representative stakeholder objectives, attributes, and impacts for uniquely held objectives, by alternative	3-689
Table 181 Economic and financial efficiency (present net value over 50 years in millions of 2000 dollars)	3-696
Table 182 Affiliated American Indian Tribes and Band Names	3-699

Figures

VOLUME 1

PREFACE

Figure 1 Location of the White River National Forest in Colorado.....	P-4
Figure 2 County boundaries in relation to the White River National Forest	P-5
Figure 3 White River National Forest ranger districts	P-6
Figure 4 Location of the White River National Forest in relation to the two ecological sections	P-7

CHAPTER 2

Figure 5 Alternative B management area allocations by category.....	2-11
Figure 6 Alternative C management area allocations by category.....	2-13
Figure 7 Alternative D management area allocations by category	2-15
Figure 8 Alternative E management area allocations by category.....	2-17
Figure 9 Alternative F management area allocations by category	2-19
Figure 10 Alternative I management area allocations by category	2-21
Figure 11 Alternative K management area allocations by category	2-24
Figure 12 Acres of suitable timber lands by management area prescription	2-45
Figure 13 Sawtimber ASQ (unconstrained by budget) and Volume Offered (constrained by experienced budget)	2-45
Figure 14 Net return from the timber program per year (decade 1, experienced budget level)	2-46

CHAPTER 3

Figure 15 Fourth-code watersheds by USGS hydrologic unit codes (HUCs).....	3-24
Figure 16 Elk data analysis units on the White River National Forest	3-272
Figure 17 Age-class distribution of aspen, lodgepole pine, and spruce-fir stands.....	3-292
Figure 18 Analysis polygons showing timber harvest activity in managed and reference areas, based on FRAGSTATS model	3-293
Figure 19 Coverage by cover type and structural class.....	3-296
Figure 20 Late successional spruce-fir, managed and reference, patch number standardized	3-297
Figure 21 Late successional spruce-fir, managed and reference, total acreage standardized	3-298
Figure 22 Average patch size, late successional	3-300
Figure 23 Edge density, late successional	3-301
Figure 24 Average patch size, structural classes	3-303
Figure 25 Edge densities, structural classes	3-304
Figure 26 Average patch size, young vs. mature	3-305
Figure 27 Edge density, young vs. mature	3-306
Figure 28 Grazing allotments on the White River National Forest.....	3-340
Figure 29 Relative risk of annual timber harvest levels on the spread of noxious weeds	3-360
Figure 30 Acres within management areas that allow motorized use.....	3-361
Figure 31 Electronic sites.....	3-405
Figure 32 Utility corridors, east side	3-405
Figure 33 Utility corridors, west side.....	3-406
Figure 34 Ten predominant recreation activities on the White River National Forest ..	3-411

Figure 35 Projected annual percentage growth of the ten predominant recreation activities on the White River National Forest.....	3-412
Figure 36 Recreation opportunity spectrum in summer, by alternative.....	3-421
Figure 37 Recreation opportunity spectrum in winter, by alternative.....	3-422
Figure 38 Proposed mix of motorized and non-motorized acres outside of wilderness, summer and winter, in each alternative	3-423
Figure 39 Estimated summer theoretical motorized and non-motorized PAOT capacity outside wilderness	3-424
Figure 40 Colorado and national skier visits, 1980-2001	3-443
Figure 41 Location of ski areas on the White River National Forest.....	3-444
Figure 42 Skier visits by county for the last 15-year planning period	3-446
Figure 43 Skier visit forecast to 2010	3-466
Figure 44 Total acres needed by 2010 compared with the current allocation.....	3-468
Figure 46 Examples of Class A areas.....	3-508
Figure 47 Examples of Class B areas.....	3-509
Figure 48 Roadless areas capable and available for recommended wilderness	3-527
Figure 49 Map of Existing Wilderness on the White River National Forest	3-552
Figure 50 Vegetation cover types, in thousands of acres, in wilderness on the White River National Forest	3-556
Figure 51 Allocation of Management Areas 1.11, 1.12, and 1.13 by alternative	3-561
Figure 52 National scenic trails and national recreation trails on the White River National Forest.....	3-578
Figure 53 Historical timber sales volume, 1910–95	3-591
Figure 54 Historical timber harvest volume, 1984-97	3-591
Figure 55 Regional, state, and White River National Forest sale volumes.....	3-593
Figure 56 Timber economic account, all resource PNV	3-594
Figure 57 Timber sales revenues and expenses, 1988-97	3-594
Figure 58 Population in the six-county area, 1990–2020.....	3-625
Figure 59 Population percentage growth factors in the six-county area, 1995–2020	3-626
Figure 60 Purchase cost of housing by county, 2000.....	3-636
Figure 61 Employment in the six-county area, 1990–2020	3-641
Figure 62 Employment growth factors in the six-county area, 1995–2020	3-642
Figure 63 Unemployment rate, by month, in the planning area and state, 2000.....	3-643
Figure 64 Source of area economic output by major industry, 1999	3-645
Figure 65 Tourism-generated and total employment, 1999	3-646
Figure 66 Tourism-generated employment by category, six-county area, 1999.....	3-648
Figure 67 Tourism-generated employment by category, Eagle-Summit-Lake counties, 1999	3-648
Figure 68 Tourism-generated employment by category, Garfield-Pitkin counties, 1999	3-649
Figure 69 Tourism-generated employment by category, Rio Blanco County, 1999	3-649
Figure 70 Deleted	
Figure 71 Growth in employment effects by alternative, 1999-2010	3-656
Figure 72 Households with a housing cost burden in Eagle-Summit-Lake Counties by alternative, 1999–2010.....	3-664
Figure 73 White River National Forest 25% Fund payments, average share among counties, 1997–2000	3-667
Figure 74 White River National Forest 25% Fund payments, average share by revenue source, 1997–2000	3-668

Figure 75 White River National Forest 25% Fund payments, 1994–2001	3-669
Figure 76 PILT and 25% Fund payments to counties, 1994-2001.....	3-670
Figure 77 PILT and 25% Fund payments as a share of total county revenues, 1999	3-671
Figure 78 PILT and 25% Fund payments as a share of total school district revenues, 1999	3-672

Reader's Guide to the FEIS

VOLUME 1

Preface

- A brief history of the forest planning process
- How the Revised Land and Resource Management Plan and Draft Environmental Impact Statement were developed
- A description of the physical, biological, and social environments of the White River National Forest
- The area's historical and contemporary human uses
- Contributions the forest makes and factors that may affect it

Chapter 1

- Reasons for revising the forest plan
- How the planning process was conducted
- Significant environmental and social issues that were addressed

Chapter 2

- What constitutes an alternative and how alternatives were formulated
- Differences between the draft and final forest plan and environmental impact statement
- Important points common to all alternatives
- Each of the seven alternatives that were considered in detail
- How each of the seven alternatives compare to one another
- Alternatives not analyzed in detail and why they were excluded
- The Preferred Alternative

Chapter 3

- The *Affected Environment*—the environment and resources of the White River National Forest—to be managed by the 2002 Forest Plan
- The *Environmental Consequences*—the environmental effects of each alternative on these resources

Chapter 4

- List of preparers and their backgrounds

VOLUME 2

Appendix A

- Description of the public involvement and public comment analysis processes
- Summary of public comment on the draft forest plan and DEIS
- Response to public comment
- List of government agency and organization respondents to the DEIS and draft forest plan
- Scanned copies of the original public agency response letters submitted

VOLUME 3


Appendices B-Q

- How the analysis process was conducted
- Roadless areas evaluated for recommendation as wilderness
- The forest's historic range of variability (HRV)
- The ecological hierarchy within which the White River National Forest is located
- The wild, scenic, or recreational rivers; research natural areas; and special interest areas that have been proposed
- The silvicultural systems used by the forest
- The watershed assessment process
- Landscape character descriptions of the White River National Forest
- Rehabilitation assessment to meet scenic integrity objectives
- A glossary of key terms and a directory of acronyms used
- Citations that appear in 2002 Forest Plan and DEIS documents

VOLUME 4

- The Biological Evaluation

Preface



Upper Roaring Fork Valley

Preface

The planning, environmental, and decision processes

This **final environmental impact statement** (FEIS) analyzes seven alternatives for implementation of the **2002 Land and Resource Management Plan** (2002 Forest Plan) for the White River National Forest. A draft environmental impact statement (DEIS) that analyzed six alternatives was issued in **August 1999** and was available for public comment until **May 9, 2001**. Forest planners and interdisciplinary team members reviewed these comments and modified the direction in the forest plan, the alternatives, and the supporting analysis as needed. This FEIS incorporates those changes and identifies the selected alternative that will guide future management of the White River National Forest. The Regional Forester will document the basis of this decision in a **record of decision** (ROD).

A brief history of the forest planning process

Current forest planning regulations are an extension of historical Forest Service experience in land management planning. For many years the Forest Service has prepared plans to guide inventory development, identify special management areas, calculate sustainable use levels, and monitor resource conditions and trends.

In addition, Forest Service planning activities are guided by several key pieces of federal legislation. Under the **Multiple-Use Sustained-Yield Act of 1960** and the **National Forest Management Act of 1976** (NFMA), National Forest System lands are managed for a variety of uses on a sustained basis to ensure, into perpetuity, a continued supply of goods and services to the American people. NFMA amended the **Forest and Rangeland Renewable Resources Planning Act of 1974** (RPA) to specify that land and resource management plans (forest plans) be developed for units of the National Forest System.

Regulations to implement NFMA are set forth in 36 CFR 219. The White River National Forest's first forest plan was issued in 1984, and NFMA regulations state that forest plans should be revised on a 10-year cycle or at least every 15 years.

NFMA regulations establish extensive analytical and procedural requirements for the development, revision, and significant amendment of forest plans. They describe procedures for the formulation and evaluation of alternatives and require that alternatives consider a full range of resource outputs and expenditure levels. NFMA regulations also acknowledge the need to comply with other laws such as the Endangered Species Act, Clean Water Act, National Historic Preservation Act, and Archeological Resources Protection Act.

The landmark 1969 **National Environmental Policy Act** (NEPA) brought environmental analysis and public participation requirements into land management planning. NEPA ensures that environmental information is made available to public officials and citizens before decisions are made and before actions are taken. The aim is to help officials base their decisions on an understanding of environmental consequences, and to take actions that protect, restore, and enhance the environment. Essential to the NEPA process are accurate scientific analyses, expert agency input, and public scrutiny. These all have been part of this forest plan revision.

**Relationship
of the forest
plan to the
alternatives**

Under NFMA, a forest plan establishes the goals, objectives, standards, and guidelines for management activities on the White River National Forest. It sets both **forest-wide** guidance and the additional direction needed to define each **management area prescription**. Management area prescriptions correspond somewhat to county zoning ordinances because they define the specific uses and conditions emphasized, allowed, or restricted on parcels of land. For this forest plan revision process, the goals, objectives, standards, and guidelines do not vary across alternatives. What does vary across alternatives is where and how extensively each management area prescription is applied over the land area of a forest.

**Steps leading
to
development
of the draft
forest plan
and DEIS**

Revision of a forest plan occurs in a number of steps. Preliminary work to revise the 1984 Forest Plan began in 1994. Improved scientific methods and data processing techniques that were not available when the 1984 Forest Plan was developed were used during formal inventories of the forest's natural and environmental resources.

In 1996, the Forest Supervisor published a *Monitoring & Evaluation Five-Year Report*, which reviewed the status of National Forest System lands administered by the White River National Forest. This report found that conditions and public demands had changed significantly since inception of the 1984 Forest Plan and that a need existed to revise it.

The Forest Supervisor then solicited comments from the public on what factors the plan revision process should consider. After a series of open houses and media coverage, the White River National Forest received hundreds of comments from across the nation, but mainly from people who live near the forest. Issues raised by the public and by other agencies were examined by an interdisciplinary (ID) team of planners and resource specialists organized by the forest to spearhead the planning process.

An *Identification of Purpose and Need* document, issued in August 1996, summarized how public comments and monitoring and evaluation efforts were used to determine what areas of the existing plan were most in need of revision. After extensive review, the interdisciplinary team identified six areas, called *revision topics*, on which to base the planning process: (1) biological diversity, (2) travel management, (3) recreation, (4) roadless areas, (5) special areas, and (6) timber suitability and allowable sale quantity. Many different issues fall within these broad categories. Other issues are addressed in Forest Service guidance. The 1984 Forest Plan was revised using guidance provided by the *1992 Rocky Mountain Regional Guide* (USDA Forest Service 1992), as well as staff, stakeholder, other agency, and public input.

In July 1997, the forest released a report called *Analysis of the Management Situation* (AMS), which assessed the ability of the forest to supply goods and services in response to the public's demand for them. The AMS also provided a foundation for developing a broad range of reasonable alternatives to the existing plan. The report reviewed the current and expected level of goods and services provided by the forest, made projections of public demands for resources, and discussed the need to establish or change management direction in response. Complete reports and details of these findings are available at the Supervisor's Office, 900 Grand Avenue, Glenwood Springs, Colorado.

In the summer of 1997, the revision topics were presented to the public in a series of 10 open houses held in Aspen, Avon, Carbondale, Denver, Eagle, Frisco, Glenwood Springs, Grand Junction, Meeker, and Rifle. Forest managers solicited comments from the public at these open houses and through media disclosures.

After completing the AMS, forest planners turned their attention to formulating a preliminary array of forest management alternatives that responded to the six initial issues. These alternatives were based on the public comment received as well as on improved knowledge of the forest's resources recorded in its Geographic Information System (GIS) database.

By July 1998, six alternatives had been developed. They were described in depth in **Chapter 2** of the DEIS. By design, each alternative meets legal and administrative requirements and can be implemented if selected.

The next step in the revision process was to evaluate the environmental consequences of the alternatives presented in the DEIS. A summary of these effects was presented in **Chapter 3** of the DEIS. For each forest resource, resource specialists described its existing condition and discussed how the alternatives would affect it.

The DEIS was made available for public comment in August 1999. Based on public and congressional requests, the original 90-day comment period was extended to 9 months, closing May 9, 2001. Nearly 14,000 individual responses were received from the public, city, county, state, and federal officials, public interest organizations, and private businesses. A specialized Forest Service unit, the Content Analysis Team (CAT), reviewed all responses, organized them all into an electronic database by subject, and generated public concern reports. This helped the White River National Forest interdisciplinary team and decision-makers to systematically consider the voluminous public input and respond to it (see Appendix A—*Response to Public Comment*).

**Steps
between draft
and final
forest plan
and FEIS**

After considering public comments on the draft forest plan and DEIS along with changes in national policy and other new information, the interdisciplinary and leadership teams made necessary changes and revisions. These are presented in the FEIS volumes and the 2002 Forest Plan. One change of note is the formulation of a **new alternative, K**, which is described in **Chapter 2**. This was developed in response to public comment and new Forest Service policies since the DEIS was released. Analysis of all seven alternatives is presented in **Chapter 3** of the FEIS. This analysis has made use of improved mapping and updated analytical tools, processes, and information.

The FEIS also identifies the alternative selected for implementation. Reasons for this decision will be documented by the Regional Forester in a record of decision. A response to public comments is provided in Appendix A. Following approval of the forest plan and selected alternative, specific activities and projects will be planned and implemented as part of ongoing management activities on the forest.

**Understanding
the White
River National
Forest**

The White River National Forest is one of the nation's largest and oldest national forests. Established in 1891 as the White River Plateau Timber Reserve, the forest later incorporated several other reserves to reach its current expanse of 2,270,000 acres. The White River National Forest is located in north-central Colorado west of the Continental Divide (**Figure 1**). The divide marks most of the forest's eastern boundary, which is about 60 miles from Denver. Ready access to the forest by residents of Denver and other Front Range communities is provided by Interstate 70, which enters the forest at the Eisenhower Memorial Tunnel.

The forest boundary encompasses National Forest System lands within nine different Colorado counties: Eagle, Garfield, Gunnison, Mesa, Moffat, Pitkin, Rio Blanco, Routt, and Summit. **Table 1** provides the official acreages of National Forest System lands within each of these counties.

Figure 1
Location of the White River National Forest in Colorado




Table 1
Acres of National Forest System lands, by county, within the White River National Forest as of September 1997

	County								
	Eagle	Garfield	Gunnison	Mesa	Moffat	Pitkin	Rio Blanco	Routt	Summit
Acres	595,542	478,628	60,880	83,069	3,679	490,911	247,318	6,128	309,671

Source: USDA FS-383

Figure 2 shows the location of these nine counties (and several others that border the forest) in relation to the forest boundary.


Figure 2
County boundaries in relation to the White River National Forest



In terms of recreational visitor days, the White River National Forest ranked fifth in the nation in 1995. Best known for its world-famous ski areas such as Aspen, Vail, and Breckenridge, the forest also features the beauty and solitude to be found in some 750,000 acres of wilderness; outstanding scenic vistas such as Hanging Lake and the Maroon Bells; and the nation's largest herd of elk. Another key forest attraction is the Colorado River, a boon to rafters, kayakers, and anglers.

Administration of the forest is handled by seven ranger districts: Aspen, Blanco, Dillon, Eagle, Holy Cross, Rifle, and Sopris. Each of these districts has a district office located, respectively, in the towns of Aspen, Meeker, Silverthorne, Eagle, Minturn, Rifle, and Carbondale. **Figure 3** shows the location of these ranger districts.

Figure 3
White River National Forest ranger districts



Physical environment


Few places in the United States feature as much topographic relief as the region of the White River National Forest. Its majestic mountain ranges attract visitors from throughout the world for sightseeing, skiing, and backcountry recreation. The forest rises from an elevation of about 5,800 feet in Glenwood Canyon to the summits of eight peaks higher than 14,000 feet. This wide range in elevation provides the White River National Forest with climate, soils, and plant and animal communities that are more diverse than those found in many other parts of the country. Measured annual precipitation ranges from less than 12 inches on the forest's western margin to more than 40 inches at higher elevations.

Mountain ranges include the Gore Range in the northeastern portion of the forest, the Elk Mountains along its southern margin, and the towering Sawatch Range in the southeast. In the northwestern portion of the forest are the Flat Tops, which are a series of high-elevation plateaus. The headwaters of the Eagle, Roaring Fork, Fryingpan, Crystal, Blue, and White rivers originate entirely on the forest.

Biological environment

The White River National Forest lies within two ecological sections—North-Central Highlands and Rocky Mountains, and Northern Parks and Ranges—as defined by the National Hierarchy of Ecological Units (ECOMAP 1993). **Figure 4** shows the forest boundaries in relation to these two sections. For a more detailed description of the ecological hierarchy with respect to the forest, refer to Appendix E in Volume 3 of the FEIS.

Figure 4
Location of the White River National Forest in relation to the two ecological sections



About two-thirds of the area is forested. The main cover types on these forested lands are Engelmann spruce-subalpine fir, lodgepole pine, and aspen. Most of these stands are in older age classes. Nonforested land makes up about 30 percent of the forest. These lands include grassy meadows, shrublands, alpine tundra, and rocky areas.

The White River National Forest provides habitat for about 300 wildlife and fish species, including common species such as elk, mule deer, and rainbow trout, and less common species such as the peregrine falcon and the Colorado River cutthroat trout.

**Historical
human use
and
occupation**

From about 12,000 years ago, the area of the White River National Forest was frequented by bands of hunters known as paleo-Indians, who left signs of their passage throughout the region. In more recent times, western Colorado was the domain of the Ute Indians who occupied the area for several centuries if not longer. The Ute people were skillful nomadic hunters who followed herds of elk and bison on their seasonal migrations and established an elaborate network of foot trails that criss-crossed the area.

Exploration of the area of the forest by people of European origin began in the 1700s by a handful of Spanish missionaries. During the mountain man era of the 1820s and 1830s, fur traders traveled throughout western Colorado in search of beaver and other animals. The fur trade lasted only a few decades.

The nation's westward expansion came late to Colorado because its towering mountain ranges were a barrier to travel. But when gold fever struck in 1859, thousands of people came to Colorado to seek their fortunes. The 1870s brought the mining boom into lands of the White River National Forest, starting with the establishment of Breckenridge in 1869 and Aspen in 1879. During this period, numerous mining camps were built near timberline in the drainages of the Blue, Eagle, and Roaring Fork rivers. Miners and settlers made extensive use of nearby stands of trees as raw material for structures, mine props, and railroad ties.

The mining era was accompanied by a steady influx of farmers and ranchers, who, by 1881, had displaced the Utes from their homeland and from the forest. During the settlement period that followed, ranchers introduced thousands of head of cattle and sheep to the rangelands. In the same period, market hunting of deer and elk led to their near-extirpation from the forest by about 1910.

Unregulated exploitation of timber, range, and wildlife resources in the public lands of the West prompted the designation of national forest reserves. The White River Plateau Timber Reserve of 1891 was the second such reserve to be named. Authority over the reserve was granted to the newly established Forest Service in 1905.

Livestock grazing continued as the primary use of the forest for several decades. Severe overgrazing by 1930 led forest managers to greatly reduce permitted livestock numbers. This period also saw the introduction of protection for deer and elk to restore their numbers.

In the 1920s, the forest acquired national significance as the site of Mount of the Holy Cross, known for a large cross formation that appears on its northeast face. This feature attracted thousands of visitors to viewpoints near the mountain.

The U.S. Army's construction of its Camp Hale base along the Eagle River, where 16,000 10th Mountain Division troops were trained during World War II, played a major role in the forest's future. After the war, some of these veterans returned to establish the downhill ski areas that today are the source of most of the forest's recreation use. The Aspen ski areas were first established in the 1940s and 1950s, with Vail and the Summit County ski areas following in the 1960s. As the ski resorts grew, so did nearby communities.

The 1964 passage of the Wilderness Act was later followed by designation of about one-third of the forest as wilderness, making it a popular destination for hikers and campers.

Present social and economic environment

Communities adjacent to the White River National Forest include Aspen, Avon, Basalt, Breckenridge, Carbondale, Dillon, Eagle, Edwards, Glenwood Springs, Gypsum, Meeker, Minturn, New Castle, Rifle, Silt, Silverthorne, and Vail. In recent years, some of Colorado's highest growth rates have been in parts of the forest's five-county planning area. Most of this growth has occurred near the forest's ski areas. In the 1990s, these ski areas evolved into four-season resorts that attract visitors throughout the year. This change has greatly boosted employment in the tourism and commercial sectors of local economies and has led to population growth throughout the area.

Because of high housing costs near the ski resorts, however, many of these new residents must commute long distances to their jobs. As a result, many towns that historically served only the local ranching and farming population are experiencing rapid residential growth. This growth is accompanied by an influx of retail and service businesses. In the same period, the area's scenic and cultural amenities have prompted the development of vacation homes, second homes, and golf courses. As private lands near the forest are converted to these residential and commercial uses, the traditional agricultural economic base is increasingly supplanted.

Urbanization has posed new problems for forest managers. Development of private lands and the increased number of visitors to the forest have combined to:

- Reduce traditional points of access;
- Reduce or restrict wildlife habitat, migration corridors, and winter range;
- Increase the risk to human safety (from wildfire); and
- Increase the impacts that visitors have on trails, recreation sites, and other national forest resources.

Distinctive roles and contributions

The White River National Forest is . . .

Global/intercontinental/national scope

- A leading destination for skiing, tourism, and backcountry recreation;
- The setting for about 750,000 acres of wilderness;
- The setting for several world-famous resort communities, which host 13 percent of the nation's downhill skiing;
- The location of the renowned Mount of the Holy Cross; and
- The domain of the nation's largest elk herd.

Multi-state/regional scope

- The site of the most recreation use of any national forest in the Rocky Mountain Region;
- The location of eight of Colorado's 54 'fourteeners'—mountain peaks taller than 14,000 feet;
- Host to 30 percent of Colorado's recreation on National Forest System lands; and
- Host to 64 percent of the downhill skiing in Colorado.

Forest scope

- The centerpiece of a growing central Colorado economy and population base;
- The scenic backdrop for local communities; and
- A source of support for local industries and businesses.

Factors that may affect the White River National Forest

Global/intercontinental/national scope

- Changes in skiing demand;
- Changes in off-road vehicle technology; and
- Changing demographics of recreationists.

Multi-state/regional scope

- Population growth throughout the Rocky Mountains;
- Shifts in employment; and
- Shifts in management emphasis to ecosystem management.

Forest scope

- Population growth along the Interstate 70 corridor in Western Colorado;
- Changes in ecological conditions; and
- Changes in local industries.

Resource commodities and services from the White River National Forest

Recreation. Outdoor recreation, including skiing and other winter activities, is the primary use of the White River National Forest. In 1997, more than 8.9 million people visited the forest, which provides 13 percent of the nation's downhill skiing.

Dispersed recreation. About 44 percent of recreation on the forest is dispersed, which occurs without constructed facilities. Demand is projected to increase for trails and scenic resources that provide opportunities for hiking, backpacking, horseback riding, mountain biking, all-terrain vehicle and snowmobile use, sightseeing, and pleasure driving.

Developed recreation. Developed recreation includes all activities that take place on developed recreation sites, which have constructed facilities. Use of developed facilities currently is at 81 percent of practical capacity and is expected to increase to well beyond this current capacity.

Leasable minerals. Leasable minerals are those deposits of oil, gas, coal, etc. that are available for development under various laws. These deposits are generally located on the western side of the forest and are apart of the Piceance Basin. Production in the Divide Creek Unit has been ongoing since the mid 1950's. The Wolf Creek Storage Unit supplies natural gas to the Roaring Fork and Eagle Valleys. Demand for fossil fuels will increase over the life of the plan and development of resources on National Forest will increase. There are also significant geothermal resources yet to be developed. Demand for this resource will increase along with demand for fossil fuels.

Locatable minerals. Locatable minerals are those deposits subject to exploration and development under the Mining Law of 1872 and its amendments. About 42 percent of the forest outside of wilderness can be classified as having a moderate-to-high potential for locatable minerals.

Timber production. From 1940 to 1999, timber volume harvested averaged 15.2 million board feet (MMBF) per year, with an annual average of 22.4 MMBF between 1984 and 1999. About 37 percent of the forest's land base is 'tentatively suitable' for timber management. Only about 4 percent of the forest's total land area has been affected by harvest activities since 1900.

Livestock grazing. Permits are required for domestic livestock grazing on the forest. During the past 10 years, numbers have fluctuated annually depending on economics and weather. In 1998, 22,700 head of cattle and 51,500 head of sheep grazed on the forest. About 830,800 acres of land are considered suitable for grazing on the White River National Forest.

